



10/14/97

A

UNITED STATES DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

DOCKET NO.: CM01946HP01

DATE: October 14, 1997

 ASSISTANT COMMISSIONER FOR PATENTS
 Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor(s): Gary W. Grube

For: Method For Providing Software To A Remote Computer

Enclosed are:

 X 2 sheets of drawings, along with 18 pages of specification and claims,
 and a Declaration Combined with Power of Attorney.

 A certified copy of a _____ application.

 X An information disclosure statement and list of references.

Claims as Filed

No. OF	No. OF	EXTRA	RATE	FEE
	CLAIMS	CLAIMS		
	FILED			
INDEP.				
CLAIMS	3	- 3 = 0	X\$82	0.00
TOTAL				
CLAIMS	14	- 20 = 0	X\$22	0.00
MULTIPLE DEPENDENT CLAIMS ()			X \$270	0.00
BASIC FILING FEE				790.00
TOTAL FILING FEE				\$ 790.00

 X Please charge Deposit Account No. 13-4772 in the amount of \$790.00.
 An original and two copies of this sheet are enclosed.

 X The Commissioner is hereby authorized to charge any additional fees under
 37 CFR 1.16 and 1.17 which may be required during the entire pendency of
 the application, or credit any overpayment to Account No. 13-4772. An
 original and two copies of this sheet are enclosed.

by: Daniel C. Crilly
 Daniel C. Crilly
 Agent for Applicant
 Reg. No. 38,417
 MOTOROLA, Inc.
 Phone: (847)576-6939
 FAX: (847)576-3750

Express Mail Label No.: EH728060365US

PATENT APPLICATION DECLARATION COMBINED WITH POWER OF ATTORNEY

X REGULAR (UTILITY) OR ____ DESIGN APPLICATION
(check one)

Attorney Docket No. CM01946HP01

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **METHOD FOR PROVIDING SOFTWARE TO A REMOTE COMPUTER**, the specification of which:

(check one) X is attached hereto.
____ was filed on _____ as U.S. Application
Serial No. _____ and was amended on
_____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

(check one) X no such applications filed. Priority Claimed
____ such applications identified as follows:

(Serial No.)	(Country)	(Day/Month/Year Filed)	Yes	No
(Serial No.)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the priority benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which is material to the examination of this application and which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Prior U.S. Applications(s):

(check
one)

☐ no such applications filed.

☒ such applications identified as follows:

08/795,905	2/5/97	Pending
(Application Serial No.)	(Filing Date)	(Status) (Patented, Pending, Abandoned)
08/124,616	9/22/93	Abandoned
(Application Serial No.)	(Filing Date)	(Status) (Patented, Pending, Abandoned)

I hereby declare that: as to any claimed subject matter of this application which is common to my earlier United States or foreign application(s), if any, which I have identified above and claimed the benefit of priority thereof, I do not believe that the same was ever known or used in the United States before my invention thereof or patented or described in any printed publication in any country before my invention thereof or more than one year prior to the first of said earlier application(s), or in public use or on sale in the United States more than one year prior to the first of said earlier application(s), and that the said common subject matter has not been patented or made the subject of an inventor's certificate before the date of the first of said earlier U.S. application(s) in any country foreign to the United States on an application, filed by me or my legal representatives or assigns more than twelve months (six months if the present application is a Design patent application) prior to the first of said earlier U.S. application(s), if any; and that, as to any claimed subject matter of this application which is not common to said earlier application(s), if any, I do not know and do not believe that the same was ever known or used in the United States before my invention thereof or patented or described in any printed publication in any country before my invention thereof or more than one year prior to the date of this application, or in public use or on sale in the United States more than one year prior to the date of this application, and that said subject matter has not been patented or made the subject of an inventor's certificate in any country foreign to the United States on an application filed by me or my legal representatives or assigns more than twelve months (six months if the present application is a Design patent application) prior to the date of this application.

I HEREBY APPOINT THE FOLLOWING AS MY ATTORNEY(S) OR AGENT(S) WITH FULL POWER OF SUBSTITUTION TO PROSECUTE THIS APPLICATION AND TRANSACT ALL BUSINESS IN THE PATENT AND TRADEMARK OFFICE CONNECTED THEREWITH:

NAME(S)	REGISTRATION NO.(S)	ASSOCIATE POWER OF ATTORNEY ATTACHED
Daniel C. Crilly	38,417	
James A. Coffing	36,485	
Susan L. Lukasik	35,261	
Christopher P. Moreno	38,566	
George C. Pappas	35,065	
Wayne J. Egan	33,168	
Raymond J. Warren	30,813	

<input type="checkbox"/>	<input checked="" type="checkbox"/>
Yes	No

Send Written Correspondence To:
Motorola, Inc.
Corporate Offices
Intellectual Property Department
1303 E. Algonquin Road
Schaumburg, IL 60196
Direct Telephone Calls to: (847) 576-6939

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statement and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or
first inventor _____

Gary W. Grube

Inventor's signature _____

Gary W. Grube

Date _____

October 14, 1997

Residence _____

Barrington

Illinois

City

State or Foreign Country

Citizenship _____

USA

Post Office Address _____

561 Chateaux Bourne Drive

Street Address

Barrington

Illinois

60010

City

State or Country

Zip Code

Full name of
second inventor _____

Inventor's signature _____

Date _____

Residence _____

City

State or Foreign Country

Citizenship _____

Post Office Address _____

Street Address

City

State or Country

Zip Code

Full name of
third inventor _____

Inventor's signature _____

Date _____

Residence _____

City

State or Foreign Country

Citizenship _____

Post Office Address _____

Street Address

City

State or Country

Zip Code

5

Method For Providing Software To A Remote Computer

Cross-reference to Related Applications

10

This is a continuation-in-part of application Serial No. 08/795,905, filed February 5, 1997, which is a continuation of application Serial No. 08/124,616, filed September 22, 1993 and now abandoned.

15

Field of the Invention

This invention relates generally to computer networks and, in particular, to a method for exchanging information between a host computer and a plurality of computers and computer networks.

20

Background of the Invention

Computer networks are known to include a plurality of computers and a server. The server typically stores shared software applications and data bases which any of the computers may access via the network. The computers may be of any type, for example, they may be personal computers, work stations, etc. Within such computer networks, each computer may communicate, via a local area network (LAN), with other computers in the network. For example, one computer may send an electronic mail message or a file to any other computer in the network. In addition, the network allows the computers to share software applications, such that only one software application is needed for a plurality of computers.

35

As is also known, computer networks may be coupled to other computer networks via telephone lines. Over such connections, networks may further share information and utilize such services as bulletin boards and centralized data bases. As technology continues to advance, the networks can share more and more information and are becoming larger and larger. With such growth, it may be difficult to maintain current software within the network due to the frequent occurrence of software and hardware updates. In addition, notwithstanding the availability of office-type combinations of software, such as Microsoft Office, it may be difficult to maintain software in the network that compliments other software in the network due to the frequency at which new software is being made available to the public. For example, if a network contains a drawing software application produced by a vendor and that vendor or another vendor subsequently releases a word processing application that permits drawings from the drawing application to be imported into the word processing application, users of the network must keep a watchful eye on all vendors' software releases in order to determine that the new word processing application exists. If the users inadvertently miss the announcement of the new word processing application, the new application will not be purchased and users of the network may continue to have difficulty creating drawings for use in their word processing-generated reports.

To update software or provide complimenting software to existing computer networks, software must be loaded at the site of the server, where trouble shooting, if needed, is carried out as well. If there are a plurality of communication networks coupled together, each computer network must be serviced independently, thereby requiring a substantial amount of effort and time to update and/or enhance the networks. Alternatively, updates or complimenting software may be transmitted over telephone lines. In this case, a person is not required to be at the site of the server, but each communication network needs to be individually serviced due to the limitations of the public telephone switching network.

In addition to the difficulties in updating software and maintaining complimenting software in computer networks, manufactures of software applications and hardware have a difficult time in obtaining marketing information, such as what software applications are being used, how often they are used, on what types of computers, etc. With this type of marketing information, manufacturers are more efficient in providing updates and/or enhancements of software. However, at present, manufacturers collect such data in a rather static fashion. For example, manufacturers use personal polling, return warranty cards, or sales statistics to acquire marketing information. With these static data collection methods, manufacturers collect only a small portion of the data available which may be weeks or months old by the time it is compiled.

Therefore, a need exists for a method that allows computers and computer networks to easily receive software that compliments software currently contained in the computer or network without requiring computer or network users to continually monitor for new software releases and that allows manufactures to dynamically collect marketing information regarding the structure and services being presently used by the computer networks.

25

Brief Description of the Drawings

FIG. 1 illustrates a schematic diagram of a plurality of computer networks, a plurality of computers, and a host computer coupled together through a communication network in accordance with the present invention.

FIG. 2 illustrates a logic diagram that may be utilized to implement the present invention.

35

Description of a Preferred Embodiment

Generally, the present invention encompasses a method for
5 providing software to a remote computer or network. The remote
computer (or network server) and a host computer each has a radio
communication device coupled to it. The remote computer transmits
(e.g., periodically) information related to the computer's present
10 configuration to the host computer via the remote computer's radio
communication device, wherein such information includes
information indicating software applications presently contained
within the remote computer. Based on the received configuration
information, the host computer determines whether the remote
15 computer is in need of software that compliments the software
applications presently contained within the remote computer. When
the remote computer is in need of such complimenting software, the
host computer selects software applications that compliment the
software applications presently contained within the remote
20 computer and transmits a list of the complimenting software to the
remote computer via the host computer's radio communication
device.

Upon receiving the list of complimenting software, the remote
computer determines whether it wants to obtain any of the listed
25 software from the host computer and, when it does, selects the
desired software from the list. The remote computer then transmits
the list of selected software to the host computer via the remote
computer's radio communication device. Subsequent to receiving the
remote computer's list, the host computer transmits the selected
30 software applications to the remote computer.

By providing software to remote computers in this manner,
the present invention allows software manufacturers to rapidly
provide software users with up-to-date information regarding newly

released software applications that may benefit the users based on the users' current software portfolios.

The present invention can be more fully described with reference to FIGs. 1 and 2. FIG. 1 illustrates a global schematic of a computer area 100. The computer area 100 includes a plurality of computer networks, a plurality of computers, and a host computer 101. Host computer 101 comprises a communication device 102, and a data base 103, which may be RAM, disc, magnetic storage, or any other means for storing digital information. Of the two computer networks shown, one includes computers 104-107, which may be any type of personal computer, workstation, or other type of computing device. The network also includes a server 108, which may be a supervisory computer, that is coupled to a communication device 109. The other computer network includes computers 110-113, a server 114 and a communication device 115. As in the other computer network, the computers may be personal computers or work stations, where the server is a computer dedicated to serve the system. Communication devices 102, 109 and 115 may be RF radios which may be an RF radio that transceives information over wireless communication resources or channels.

Computer area 100 further includes separate computers 116 and 118 that are each coupled to communication devices 117 and 119. Computers 116 and 118 may be personal computers or workstations and communication devices 117 and 119 may be RF radios. If the communication network 120 is a telephone system as opposed to a wireless communication system, communication devices 102, 109, 115, 117, and 119 would be modems.

In computer area 100, host computer 101 communicates information over radio frequency (RF) communication channels to communication devices 102, 109, 115, 117, and 119 via wireless communication network 120. In a preferred embodiment, communication network 120 is a trunked communication system, a

multi-site trunked communication system, a conventional communication system, or any communication system that transceives information over RF communication channels or resources. In communication system 120, the communication
 5 channels may be frequency carriers, pairs of frequency carriers, time division multiplex slots, or code division orthogonal codes.

The information transmitted over the communication channels is either network information 126 or user information 127-130.
 10 Network information 126 is transmitted from communication devices 109, 115, 117, 119 via communication network 120 to host computer 101, whereas user information 127-130 is transmitted from host computer 101 to the communication devices 109, 115, 117 and 119. Note that transmission of network information 126 and
 15 user information 127-130 is done in a conventional manner within the specific types of communication systems. For example, if communication system 120 is a trunking system, host computer 101 would need to request and receive a communication channel to transmit user information 127-130. Similarly, a communication
 20 channel would have to be requested and granted to transmit network information 126. Formatting of network information 126 and user information 127-130 may be any type that is compatible with the system type. Thus, no further discussion will be presented on the manner of transmission or the means for transmitting except to
 25 facilitate the understanding of the present invention.

Network information 126 preferably includes configuration information and may also include statistical information. The configuration information contains information regarding the
 30 platform of the network, or individual computers, and software applications contained within the network, or individual computers. The platform information indicates the type of hardware contained within the network, or within the individual computer. User information 127-130 includes software applications that compliment
 35 software applications that are contained within the network or

individual computers. How network information 126 and user information 127-130 are utilized and conveyed will be discussed below.

5 FIG. 2 illustrates a logic diagram that may be used to implement the present invention. At step 200, each remote server of a computer network (or each remote computer in a separate computer area) transmits network information to a host computer via a radio communication channel. In a preferred embodiment, the
10 transmissions of network information occur periodically (e.g., once a month). As mentioned above, the network information preferably includes information indicating the identities of the software applications presently contained within the server or computer, and may also include statistical information or information indicating a
15 hardware platform of the server or computer. Statistical information indicates how many times a particular software application is used, how often the network or computer is used, and any other type of statistical information that may be compiled regarding the use of the network or computer. Hardware platform
20 information indicates the number of computers in the network, the types of computers, and any other type of platform information.

 Upon receiving the network information, the host computer determines (201) if any computers, or servers, (users) are in need of
25 software (complimenting software) that compliments the software applications presently contained within the computer or server. The host computer may determine that a computer or server is in need of complimenting software when the host computer determines that a software application (e.g., a spreadsheet application) that
30 compliments another software application (e.g., a word processing application) is not contained in the network information received from the server or computer. In the preferred embodiment, the host computer maintains a database of complimenting software applications. Accordingly, when the host computer receives a
35 remote computer's network information, the host computer

compares each software application identified in the network information with that application's complimenting applications, if any, stored in the database. Upon determining that the remote computer does not have a particular complimenting application, the
 5 host computer determines that the remote computer is in need of complimenting software.

If no servers or computers are in need of complimenting software, the host computer awaits (205) receipt of information
 10 related to a subsequent configuration of the computers or servers and the logic flow ends (206). If, on the other hand, a computer or server is in need of complimenting software, the host computer accesses its database and selects (202) respective complimenting applications for each computer or server so in need and prepares
 15 respective lists of the complimenting applications, including appropriate identifiers (e.g., names) of the selected applications. The host computer then transmits (203) the lists of complimenting software to their respective remote computer or server via a radio communication channel. In the event that all computers or servers
 20 are in need of the same complimenting software (e.g., when multiple computers or servers at a company transmit similar network information), the host computer may broadcast a single list to all such computers or servers instead of transmitting individual lists.

25 Upon receiving a list of complimenting software, the remote computer or server (or a user thereof) determines (204) whether it desires to obtain one or more of the listed software applications. When the computer or server does not desire to obtain any of the listed software applications, the logic flow ends (206). However,
 30 when the computer or server does desire to obtain one or more of the listed software applications, the computer or server selects (207) the desired applications and transmits (208) a list of selected software to the host computer. The list of selected software transmitted by the remote computer or server is a subset of (i.e., contains all or some
 35 portion of) the software identified in the list of complimenting

software that was transmitted to the remote computer or server by the host computer.

Once the host computer receives the list of selected software
5 from the remote computers or servers, the host computer transmits
(209) the selected software to the respective computers or servers.
In the event that multiple computers or servers request the same
software, the host computer may broadcast the common software
simultaneously to those computers or servers that requested it,
10 instead of individually transmitting the software. In this manner, the
host computer may transmit user information (e.g., complimenting
software applications) simultaneously to multiple servers and stand
alone computers. This global transmission of user information may
be done simultaneously over the RF communication channel such that
15 millions of computers may be reached at one time. This type of
simultaneous transmission of user information is not obtainable with
public telephone switching networks unless a telephone line is
allocated to each network and computer. Thus, to achieve the
coverage that can be obtained with an RF communication channel as
20 disclosed by the present invention, up to hundreds of telephone lines
would be required.

The host computer may do considerably more with the
network information than provide specific user information. For
25 example, the network information may be used to verify that
software applications stored at each computer network, or computer
are authorized copies of the software applications. If the copies are
not authorized, the host computer may send a message indicating that
the software is not authorized and request that it be destroyed. The
30 host computer may also transmit a message that disables the software
application, or send an authorized copy of the software and bill the
user of the computer or network. All of this can be done over an RF
communication channel with very little expense to the operator of
the host computer. In addition to monitoring for unauthorized
35 copies of software applications, the host computer may use the

network information to generate user marketing reports. Because the RF channels can reach literally millions of computers at one time, a tremendous amount of data may be dynamically obtained. Thus, marketing information that is hours old containing a

5 substantial amount of data may be used by manufactures to obtain a much improved reading of the marketplace as to opposed to the prior art static methods of collecting such data.

As a working example of the above, consider a computer area
10 that has several networks and several stand alone computers. The computer networks include several computers, a server and a communication device. Each of the individual or stand alone computers is coupled to communication device, wherein the communication device can transceive information to and from a host
15 computer which is also coupled to a communication device. In such an environment, network information is transmitted from time-to-time from the communication devices associated with the server or individual computers to the host computer. The transmission may be initiated independently by the server, or individual computer, on a
20 timed basis such as once a month or at some other interval. In addition, the transmission may be initiated in response to the host computer sending a request for information transmission. The network information, as mentioned above includes specific information regarding the configuration of the networks. This type
25 of network information may be compiled to provide specific customer information. For example, the information may indicate the type of computers that are associated with the network, the software applications used, how often the computers are used, how often the software is used, if the software is being utilized in an
30 unauthorized manner, and the number of users sharing a specific application. Upon receiving this information, the host computer can compile it to provide the marketing information. With such marketing information, the manufacturers have a dynamic means for assessing how its product is being utilized within the market place.

35

In exchange for receiving the network information, the host computer provides specific user information (complimenting software applications) to the networks. For example, upon receiving the network information, the host computer may determine that a specific network does not have a software application that is intended to or otherwise would compliment a software application that the network does have. Accordingly, the host computer transmits, over the RF channel, the identity of the complimenting software application and how much the application would cost. If the user wants the complimenting application, a message is sent, over the RF channel, to the host computer indicating the desire to purchase the complimenting software. In response, the complimenting software is transmitted, over the RF channel, to the network where it can be immediately used. In addition, when the host computer has general information, such as a new software program is available, the host computer only needs to transmit the message once and it will be received by a multitude of computers. Thus saving the manufacturer considerable amounts of money in advertising and production of disks.

The present invention provides a method for providing software to computer networks or stand alone computers. With such a method, a host computer can dynamically compile marketing information that indicates the types of hardware and software being used as well as the frequency of use, which was not available prior to this invention. In exchange for the network information, the host computer can provide complimenting software either individually or simultaneously to a multitude of computer networks and computers over an RF channel. Prior to this invention such user information could only be provided on a disk or over a telephone line to one computer or one network at a time. Moreover, the present invention allows computer users to easily stay abreast of new software releases and the relationship, if any, between a newly released software application and the software already being used by the users.

Claims

1. A method for a host computer to provide software to a remote computer, the method comprising the steps of:
 - 5 receiving, from the remote computer via a radio communication device coupled to the host computer, network information related to a present configuration of the remote computer, wherein the network information includes at least information indicating software applications presently contained
 - 10 within the remote computer;
determining, based on the network information, whether the remote computer is in need of software that compliments the software applications presently contained within the remote computer;
 - 15 when the remote computer is in need of software that compliments the software applications presently contained within the remote computer,
selecting at least one software application that compliments the software applications presently contained
 - 20 within the remote computer;
transmitting a list of complimenting software to the remote computer via the radio communication device, wherein the list of complimenting software includes an identifier for the at least one software application;
 - 25 receiving, from the remote computer via the radio communication device and responsive to the step of transmitting the list of complimenting software, a list of software desired by the remote computer to produce selected software, wherein the list of software desired by the remote
 - 30 computer is a subset of the list of complimenting software; and
transmitting, via the radio communication device, the selected software to the remote computer.

2. The method of claim 1, wherein the network information further comprises information indicating a hardware platform of the remote computer.

5 3. The method of claim 1, further comprising the step of receiving, from the remote computer via the radio communication device, information related to statistical use of software applications contained within the remote computer.

10 4. The method of claim 3, further comprising the step of generating user marketing reports based on the information related to statistical use of software applications contained within the remote computer.

15 5. The method of claim 1, wherein the step of receiving information from the remote computer comprises the step of receiving information from a server computer of a multiple computer network.

20 6. The method of claim 1, further comprising the step of, when the remote computer is not in need of software that compliments the software applications presently contained within of the remote computer, awaiting receipt of information related to a subsequent configuration of the remote computer.

25

7. A method for a host computer to provide software to a plurality of remote computers, the method comprising the steps of:

receiving, from each remote computer of the plurality of remote computers via a radio communication device coupled to the host computer, network information related to a present configuration of the respective remote computer, wherein the network information includes at least information indicating software applications presently contained within the respective remote computer;

determining, based on the network information, whether at least two remote computers are in need of software that compliments software applications presently contained within the at least two remote computers;

when at least two remote computers are in need of software that compliments software applications presently contained within the at least two remote computers,

selecting at least one software application that compliments the software applications presently contained within the at least two remote computers;

transmitting a list of complimenting software to the at least two remote computers via the radio communication device, wherein the list of complimenting software includes an identifier for the at least one software application;

receiving, from each of the at least two remote computers via the radio communication device and responsive to the step of transmitting the list of complimenting software, a list of software desired by the respective remote computer to produce selected software, wherein the list of software desired by the respective remote computer is a subset of the list of complimenting software;

determining software that is common to at least two lists of selected software to produce common selected software; and

transmitting, via the radio communication device, the common selected software simultaneously to the at least two remote computers.

8. The method of claim 7, wherein the network information further comprises information indicating a hardware platform of the remote computer.

5

9. The method of claim 7, wherein the step of receiving information from each remote computer comprises the step of receiving information from each server computer of a multiple computer network that includes a plurality of server computers.

10

10. A method for a remote computer to obtain software from a host computer, the method comprising the steps of:

transmitting, to the host computer via a radio communication device coupled to the remote computer, network information related to a present configuration of the remote computer, wherein the network information includes at least information indicating software applications presently contained within the remote computer;

receiving, from the host computer via the radio communication device, a list of complimenting software that includes an identifier for at least one software application that compliments the software applications presently contained within the remote computer;

determining whether to obtain from the host computer at least one software application in the list of complimenting software;

upon determining to obtain at least one software application,

selecting at least one software application from the list of complimenting software to produce selected software;

transmitting, via the radio communication device, a list of selected software to the host computer, wherein the list of selected software is a subset of the list of complimenting software; and

receiving, from the host computer via the radio communication device, at least one software application identified in the list of selected software.

11. The method of claim 10, wherein the network information further comprises information indicating a hardware platform of the remote computer.
- 5 12. The method of claim 10, further comprising the step of transmitting, via the radio communication device, information related to statistical use of software applications contained within the remote computer.
- 10 13. The method of claim 10, wherein the remote computer is a server computer of a multiple computer network.
14. The method of claim 10, wherein the step of transmitting network information related to a present configuration of the remote
15 computer comprises the step of periodically transmitting network information related to a present configuration of the remote computer.

Method For Providing Software To A Remote Computer

Abstract Of The Disclosure

5 A communication system (100) employs a method for providing software to a remote computer (e.g., 116) or network server (e.g., 114). The remote computer (or network server) and a host computer (101) each has a radio communication device (102, 115, 117) coupled to it. The remote computer transmits information
10 related to the computer's present configuration to the host computer via the remote computer's radio communication device, wherein such information includes information indicating software applications presently contained within the remote computer. Based on the received configuration information, the host computer
15 determines whether the remote computer is in need of software that compliments the software applications presently contained within the remote computer. When the remote computer is in need of such complimenting software, the host computer selects software applications that compliment the software applications presently
20 contained within the remote computer and transmits a list of the complimenting software to the remote computer via the host computer's radio communication device. Upon receiving the list of complimenting software, the remote computer determines whether it wants to obtain any of the listed software from the host computer
25 and, when it does, selects the desired software from the list. The remote computer then transmits the list of selected software to the host computer via the remote computer's radio communication device. Subsequent to receiving the remote computer's list, the host computer transmits the selected software applications to the remote
30 computer.

1/2

3818-70(A)




FIG. 1

100

MOTOROLA INC.	
BY:	DATE:
NO:	PAGE OF

2/2




FIG. 2